

# MICROMOTOR HRI003G



Rivarossi Düwag GT6, Düwag M8, Tram, Straßenbahn  
Glockenankermotor Umbau Spur H0  
Coreless motor upgrade H0 gauge  
Klokankermotor ombouwset H0


**Warning!** This product is not a toy and is not suitable for children under 14 years contains small parts. This product contains electronic parts so do not throw them in the household waste but hand them in separately. The EU WEEE directive applies.

**Achtung!** Dieses Produkt ist kein Spielzeug, nicht für Kinder unter 14 Jahren geeignet, enthält Kleinteile. Dieses Produkt enthält elektronische Teile. Werfen Sie diese daher nicht in den Müll, sondern getrennt einsammeln. Es gilt die EU-WEEE-Richtlinie.

**Opgelet!** Dit product is geen speelgoed, niet geschikt voor kinderen onder de 14 jaar, bevat kleine onderdelen. Dit product bevat elektronische onderdelen, gooi dit daarom niet bij het huisafval maar lever dit apart in. WEEE-Regelgeving van de EU is van toepassing.




Gehäuse entfernen  
Remove housing  
Verwijder de kap



Ausbau alter Motor  
Take out the old motor  
Demonteer de oude motor




Gehäuse entfernen  
Remove housing  
Verwijder de kap




Ausbau alter Motor  
Take out the old motor  
Demonteer de oude motor







Ausbau alter Motor  
Take out the old motor  
Demonteer de oude motor




Maße prüfen  
Check dimensions  
Controleer de maatvoering




Die Teile sind verklebt  
The parts are glued  
De onderdelen zijn verlijmd




Maße prüfen  
Check dimensions  
Controleer de maatvoering




Die Teile des Bausatz  
Parts of the kit  
Onderdelen van de ombouwsset



Platzieren Sie den Motor in die Motorhalter  
Place the motor in the motor holder  
Plaats de motor in de motor houder




Der Motor wird mit Epoxidkleber oder Sekundenkleber in den Motorhalter eingeklebt  
 The motor is glued into the motor holder with epoxy glue or super Glue  
 De motor wordt in de motorhouder verlijmd met secondelijm of epoxy lijm



Drähte löten  
 Solder the wires  
 Soldeer de draden



Umbau fertig  
 Upgrade complete  
 Ombouw gereed



Motor platzieren  
 Mount the motor  
 Plaats de motor



Gehäuse platzieren  
 Mount body  
 Plaats de kap



Micromotor HRI003G