

MICROMOTOR NF027G




Fleischmann BR 64
Glockenankermotor Umbau Spur N
Coreless motor upgrade N gauge
Klokankermotor ombouwset N


Warning! This product is not a toy and is not suitable for children under 14 years contains small parts. This product contains electronic parts so do not throw them in the household waste but hand them in separately. The EU WEEE directive applies.

Achtung! Dieses Produkt ist kein Spielzeug, nicht für Kinder unter 14 Jahren geeignet, enthält Kleinteile. Dieses Produkt enthält elektronische Teile. Werfen Sie diese daher nicht in den Müll, sondern getrennt einsammeln. Es gilt die EU-WEEE-Richtlinie.


Opgelet! Dit product is geen speelgoed, niet geschikt voor kinderen onder de 14 jaar, bevat kleine onderdelen. Dit product bevat elektronische onderdelen, gooi dit daarom niet bij het huisafval maar lever dit apart in. WEEE-Regelgeving van de EU is van toepassing.




Öffnen Sie die Lokomotive
Open the locomotive
Open de locomotief




Öffnen Sie die Lokomotive
Open the locomotive
Open de locomotief




Ausbau alter Motor
Take out the old motor
Demonteer de oude motor




Maße prüfen
Check dimensions
Controleer de maatvoering






Die Teile des Bausatz
The parts of the kit
Onderdelen van de ombouwset




Teile prüfen
Check fit
Controleer de passing



Metall Teile werden mit Loctite oder Metal Epoxy Kleber verklebt
Metal parts are glued with Loctite or metal epoxy glue
Metalen onderdelen worden gelijmd met metaallijm of epoxylijm voor metalen



Tragen Sie Klebstoff auf die Innenseite des Teil
Apply glue on the inside of the part
Plaats alleen lijm aan de binnenzijde van de onderdelen




Tragen Sie keinen Kleber auf die Achse auf
Don't apply glue on the axle
Plaats geen lijm op de as




Die Teile sind geklebt
The parts are glued
De onderdelen zijn verlijmd




Der Motor wird mit Epoxidkleber oder Sekundenkleber in den Motorhalter eingeklebt
 The motor is glued into the motor holder with epoxy glue or super glue
 De motor wordt verlijmd in de motorhouder met secondelijm of epoxy lijm




Motor platzieren
 Mount the motor
 Plaats de motor




Motor platzieren
 Mount the motor
 Plaats de motor



Löten Sie die Drähte
 Solder the wires
 Soldeer de draden



Löten Sie die Drähte
 Solder the wires
 Soldeer de draden



Gehäuse platzieren
 Mount body
 Plaats de kap



Umbau fertig
Upgrade complete
Ombouw gereed



Micromotor NF027G

